

Product Line Card

INTERNAL AND EXTERNAL HARD DRIVES



HGST
a Western Digital company

Ultrastar: Proven reliability to help protect data in mission-critical applications. Stable design for fast and easy integration. Rotational Vibration Safeguard technology for great performance in multi-drive designs.							
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information
Ultrastar 7K4000							
HUS724020ALS640	0B26887	2TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N
HUS724020ALE640	0F14685	2TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512E
HUS724020ALA640	0F14690	2TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N
HUS724030ALS640	0B26886	3TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N
HUS724030ALE640	0F14684	3TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512E
HUS724030ALA640	0F14689	3TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N
HUS724040ALS640	0B26885	4TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N
HUS724040ALE641	0F18425	4TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512E BE
HUS724040ALE640	0F14683	4TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512E
HUS724040ALA640	0F14688	4TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N
Ultrastar A7K4000							
HUS724020ALS641	0B26925	2TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N TCG
HUS724030ALS641	0B26926	3TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N TCG
HUS724040ALS641	0B26927	4TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N TCG
Ultrastar A7K2000							
HUA722050CLA330	0F11000	500GB	SATA 3Gb/s	3.5-inch	7200RPM	32MB	ULTRA
HUA722010CLA330	0A39289	1TB	SATA 3Gb/s	3.5-inch	7200RPM	32MB	ULTRA
Ultrastar C10K900							
HUC109030CSS600	0B26011	300GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	
HUC109030CSS601	0B27254	300GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	TCG
HUC109045CSS600	0B26012	450GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	
HUC109045CSS601	0B27255	450GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	TCG
HUC109060CSS601	0B27256	600GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	TCG
HUC109060CSS600	0B26013	600GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	
HUC109090CSS600	0B26014	900GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	
HUC109090CSS601	0B27257	900GB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	TCG
Ultrastar C15K600							
HUC156030CS4200	0B28985	300GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN ISE
HUC156030CS4204	0B30361	300GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN SE
HUC156030CS4201	0B29369	300GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN TCG
HUC156030CS5200	0B28955	300GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N ISE
HUC156030CS5204	0B30358	300GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N SE
HUC156030CS5201	0B28991	300GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N TCG
HUC156045CS4200	0B28984	450GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN ISE
HUC156045CS4204	0B30360	450GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN SE
HUC156045CS4201	0B29368	450GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN TCG
HUC156045CS5200	0B28954	450GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N ISE
HUC156045CS5204	0B30357	450GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N SE
HUC156045CS5201	0B28990	450GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N TCG
HUC156060CS4200	0B28983	600GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN ISE
HUC156060CS4204	0B30359	600GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN SE
HUC156060CS4201	0B28992	600GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	4KN TCG
HUC156060CS5200	0B28953	600GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N ISE
HUC156060CS5204	0B30356	600GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N SE
HUC156060CS5201	0B28989	600GB	SAS 12Gb/s	2.5-inch	15000RPM	128MB	512N TCG
Ultrastar C7K1000							
HUC721010A5S600	0B30780	1TB	SAS 6Gb/s	2.5-inch	7200RPM	64MB	512N
HUC721010A5S601	0B30781	1TB	SAS 6Gb/s	2.5-inch	7200RPM	64MB	512N TCG
Ultrastar C10K1200							
HUC101212CS5600	0B25168	1.2TB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	
HUC101212CS5601	0B28521	1.2TB	SAS 6Gb/s	2.5-inch	10000 RPM	64MB	TCG
MegaScale DC 4000.B							
HM55C4040BLE640	0F22146	4TB	SATA 6Gb/s	3.5-inch	CoolSpin	64MB	512E
HM55C4040BLE641	0F22149	4TB	SATA 6Gb/s	3.5-inch	CoolSpin	64MB	512E BDE
Ultrastar He®							
HUS726060ALS640	0F18370	6TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N - HelioSeal™ technology
HUS726060ALS641	0F20577	6TB	SAS 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N TCG - HelioSeal™ technology
HUS726060ALA640	0F18335	6TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N - HelioSeal™ technology
HUS726060ALA641	0F20572	6TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB	ULTRA 512N BDE - HelioSeal™ technology
Ultrastar C10K1800							
HUC101845CS4200	0B29917	450GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Enabled
HUC101860CS4200	0B29918	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Enabled
HUC101890CS4200	0B29919	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Enabled
HUC101812CS4200	0B29920	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Enabled
HUC101818CS4200	0B29921	1.8TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Enabled
HUC101845CS4201	0B30872	450GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn TCG Encryption
HUC101860CS4201	0B30873	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn TCG Encryption
HUC101890CS4201	0B30874	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn TCG Encryption
HUC101812CS4201	0B30875	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn TCG Encryption
HUC101818CS4201	0B30876	1.8TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn TCG Encryption
HUC101845CS4204	0B31237	450GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Disabled
HUC101860CS4204	0B31238	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Disabled
HUC101890CS4204	0B31239	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Disabled
HUC101812CS4204	0B31240	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Disabled
HUC101818CS4204	0B31241	1.8TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	4Kn Crypto Disabled
HUC101845CS4200	0B27973	450GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Enabled
HUC101860CS4200	0B27974	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Enabled
HUC101890CS4200	0B27975	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Enabled
HUC101812CS4200	0B27977	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Enabled
HUC101818CS4200	0B27978	1.8TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Enabled
HUC101845CS4201	0B30877	450GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e TCG Encryption
HUC101860CS4201	0B30878	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e TCG Encryption
HUC101890CS4201	0B30879	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e TCG Encryption
HUC101812CS4201	0B30880	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e TCG Encryption
HUC101818CS4201	0B30881	1.8TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e TCG Encryption
HUC101845CS4204	0B31232	450GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Disabled
HUC101860CS4204	0B31233	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Disabled
HUC101890CS4204	0B31234	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Disabled
HUC101812CS4204	0B31235	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Disabled
HUC101818CS4204	0B31236	1.8TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512e Crypto Disabled
HUC101830CS5200	0B28810	300GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Enabled

<div>Ultrastar:</div> <div>Proven reliability to help protect data in mission-critical applications. Stable design for fast and easy integration. Rotational Vibration Safeguard technology for great performance in multi-drive designs.</div>							
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information
Ultrastar C10K1800							
HUC101860CSS200	0B28808	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Enabled
HUC101890CSS200	0B27976	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Enabled
HUC101812CSS200	0B28807	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Enabled
HUC101830CSS201	0B30868	300GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n TCG Encryption
HUC101860CSS201	0B30869	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n TCG Encryption
HUC101890CSS201	0B30870	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n TCG Encryption
HUC101812CSS201	0B30871	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n TCG Encryption
HUC101830CSS204	0B31228	300GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Disabled
HUC101860CSS204	0B31229	600GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Disabled
HUC101890CSS204	0B31230	900GB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Disabled
HUC101812CSS204	0B31231	1.2TB	SAS 12Gb/s	2.5-inch	10000RPM	128MB	512n Crypto Disabled
Solid State Drives: Extreme performance and endurance for enterprise environments. HGST SSDs complement our enterprise HDD product line and support a robust, tiered-storage architecture for optimum application performance and workload management.							
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information
Ultrastar SSD800MH							
HUSMH8020ASS201	0B28631	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE TCG
HUSMH8020ASS205	0B30187	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE TCG FIPS
HUSMH8020ASS204	0B30066	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE CRYPTO-D
HUSMH8020ASS200	0B28628	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE CRYPTO-E
HUSMH8040ASS201	0B28632	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE TCG
HUSMH8040ASS205	0B30188	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE TCG FIPS
HUSMH8040ASS204	0B30067	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE CRYPTO-D
HUSMH8040ASS200	0B28629	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE CRYPTO-E
HUSMH8080ASS201	0B28633	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE TCG
HUSMH8080ASS205	0B30189	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE TCG FIPS
HUSMH8080ASS204	0B30068	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE CRYPTO-D
HUSMH8080ASS200	0B28630	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM HE CRYPTO-E
Ultrastar SSD800MM							
HUSMM8020ASS201	0B28590	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME TCG
HUSMM8020ASS205	0B30226	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME TCG FIPS
HUSMM8020ASS204	0B30106	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME CRYPTO-D
HUSMM8020ASS200	0B28587	200GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME CRYPTO-E
HUSMM8040ASS201	0B28591	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME TCG
HUSMM8040ASS205	0B30227	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME TCG FIPS
HUSMM8040ASS204	0B30107	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME CRYPTO-D
HUSMM8040ASS200	0B28588	400GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME CRYPTO-E
HUSMM8080ASS201	0B28592	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME TCG
HUSMM8080ASS205	0B30228	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME TCG FIPS
HUSMM8080ASS204	0B30108	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME CRYPTO-D
HUSMM8080ASS200	0B28589	800GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM ME CRYPTO-E
Ultrastar SSD1000MR							
HUSMR1010ASS201	0B29692	1000GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI TCG
HUSMR1010ASS205	0B30268	1000GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI TCG FIPS
HUSMR1010ASS204	0B30148	1000GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI CRYPTO-D
HUSMR1010ASS200	0B29689	1000GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI CRYPTO-E
HUSMR1025ASS201	0B29690	250GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI TCG
HUSMR1025ASS205	0B30266	250GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI TCG FIPS
HUSMR1025ASS204	0B30146	250GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI CRYPTO-D
HUSMR1025ASS200	0B29687	250GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI CRYPTO-E
HUSMR1050ASS201	0B29691	500GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI TCG
HUSMR1050ASS205	0B30267	500GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI TCG FIPS
HUSMR1050ASS204	0B30147	500GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI CRYPTO-D
HUSMR1050ASS200	0B29688	500GB	SAS 12Gb/s	2.5-inch	N/A	N/A	MLC 25NM RI CRYPTO-E
FlashMAX II							
VIR-M2-LP-550-1P	0T00809	550GB	PCIe RI	HH-HL	N/A	N/A	Standard MLC 25nm
VIR-M2-LP-1100-2P	0T00812	1.1TB	PCIe RI	HH-HL	N/A	N/A	Performance MLC 25nm
VIR-M2-LP-1100-2P	0T00817	1.1TB	PCIe RI	HH-HL	N/A	N/A	Standard MLC 25nm
VIR-M2-LP-2200-2P	0T00803	2.2TB	PCIe RI	HH-HL	N/A	N/A	Performance MLC 25nm
VIR-M2-LP-4800-2P	0T00818	4.8TB	PCIe RI	HH-HL	N/A	N/A	Capacity MLC 20nm
s1122 PCIe Accelerator							
S1122E800M4	0T00020	800GB	PCIe	HH-HL	N/A	N/A	MLC 24NM
S1122E1000M4	0T00003	1000GB	PCIe	HH-HL	N/A	N/A	MLC 24NM
S1122E1600M4	0T00009	1600GB	PCIe	HH-HL	N/A	N/A	MLC 24NM
S1122E2000M4	0T00015	2000GB	PCIe	HH-HL	N/A	N/A	MLC 24NM
s842 SAS SSD							
S842E200M2	0T00169	200GB	SAS ME	2.5in (15mm)	N/A	N/A	MLC ME 24NM
S842X400M2	0T00174	400GB	SAS HE	2.5in (15mm)	N/A	N/A	MLC HE 24NM
S842E400M2	0T00177	400GB	SAS ME	2.5in (15mm)	N/A	N/A	MLC ME 24NM
S842X800M2	0T00188	800GB	SAS HE	2.5in (15mm)	N/A	N/A	MLC HE 24NM
S842E800M2	0T00191	800GB	SAS ME	2.5in (15mm)	N/A	N/A	MLC ME 24NM
S842X1600M2	0T00157	1.6TB	SAS HE	2.5in (15mm)	N/A	N/A	MLC HE 24NM
S842E1600M2	0T00158	1.6TB	SAS ME	2.5in (15mm)	N/A	N/A	MLC ME 24NM
S842X2000M2	0T00160	2TB	SAS HE	2.5in (15mm)	N/A	N/A	MLC HE 24NM
S842E2000M2	0T00163	2TB	SAS ME	2.5in (15mm)	N/A	N/A	MLC ME 24NM
s846 SAS SSD							
S846E200M1	0T00173	200GB	SAS ME	1.8in (15mm)	N/A	N/A	MLC ME 24NM TCG
S846E400M1	0T00185	400GB	SAS ME	1.8in (15mm)	N/A	N/A	MLC ME 24NM TCG
S846E1600M2	0T00159	1.6TB	SAS ME	2.5in (15mm)	N/A	N/A	MLC ME 24NM TCG
S846E2000M2	0T00167	2TB	SAS ME	2.5in (15mm)	N/A	N/A	MLC ME 24NM TCG
ZeusRAM & ZIL SAS SSD							
Z4RZF3D-8UC	0T00291	8GB	SAS HE	3.5in (15mm)	N/A	N/A	SLC HE 43NM
Compact Flash SSD							
SLCF256M2TU	0T00409	256MB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM
SLCF256M2TUI	0T00410	256MB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLCF512M2TU	0T00460	512MB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM
SLCF512M2TUI	0T00461	512MB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLCF1GM2TU	0T00493	1GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM
SLCF1GM2TUI	0T00494	1GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLCF2GM2TU	0T00526	2GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM

Solid State Drives: Extreme performance and endurance for enterprise environments. HGST SSDs complement our enterprise HDD product line and support a robust, tiered-storage architecture for optimum application performance and workload management.							
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information
Compact Flash SSD							
SLCF2GM2TUI	0T00527	2GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLCF4GM2TU	0T00554	4GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM
SLCF4GM2TUI	0T00327	4GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLCF8GM2TU	0T00583	8GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 32NM
SLCF8GM2TUI	0T00584	8GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 32NM Industrial Temperature Support
SLCF8GM4TU	0T00588	8GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM
SLCF8GM4TUI	0T00589	8GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLCF16GM2TU	0T00602	16GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 32NM
SLCF16GM2TUI	0T00328	16GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 32NM Industrial Temperature Support
SLCF16GM4TU	0T00605	16GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 32NM
SLCF16GM4TUI	0T00606	16GB	PATA HE	Compact Flash	N/A	N/A	SLC HE 32NM Industrial Temperature Support
USB Flash Drive							
SLUFD1GU2TU	0T00765	1GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 43NM
SLUFD1GU2TUI	0T00766	1GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLUFD2GU2TU	0T00767	2GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 43NM
SLUFD2GU2TUI	0T00768	2GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLUFD4GU2TU	0T00769	4GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 43NM
SLUFD4GU2TUI	0T00770	4GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLUFD8GU2TU	0T00771	8GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 32NM
SLUFD8GU2TUI	0T00763	8GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 32NM Industrial Temperature Support
SLUFD16GU2TU	0T00772	16GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 24NM
SLUFD16GU2TUI	0T00773	16GB	USB 2.0 HE	Thumb Drive	N/A	N/A	SLC HE 24NM Industrial Temperature Support
USB Flash Module							
SLUFM16GU2TU-A	0T00660	16GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 32NM
SLUFM16GU2TUI-A	0T00661	16GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 32NM Industrial Temperature Support
SLUFM1GU2TU-A	0T00662	1GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 43NM
SLUFM1GU2TUI-A	0T00663	1GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLUFM2GU2TU-A	0T00642	2GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 43NM
SLUFM2GU2TUI-A	0T00664	2GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLUFM4GU2TU-A	0T00665	4GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 43NM
SLUFM4GU2TUI-A	0T00666	4GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 43NM Industrial Temperature Support
SLUFM8GU2TU-A	0T00667	8GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 32NM
SLUFM8GU2TUI-A	0T00668	8GB	USB 2.0 HE	Flash Disk Module	N/A	N/A	SLC HE 32NM Industrial Temperature Support
SlimSATA Embedded SSD							
V45D257C-08UCU	0T00321	8GB	SATA 3Gb/s	2.5in (7mm)	N/A	N/A	SLC HE 32nm
M16SD257-25UC	0T00659	25GB	SATA 3Gb/s	2.5in (7mm)	N/A	N/A	SLC HE 32nm
V45D257C-32UCU	0T00669	32GB	SATA 3Gb/s	2.5in (7mm)	N/A	N/A	SLC HE 32nm
M16SD257-50UCM	0T00320	50GB	SATA 3Gb/s	2.5in (7mm)	N/A	N/A	MLC ME 32nm
M16SD257-100UCM	0T00319	100GB	SATA 3Gb/s	2.5in (7mm)	N/A	N/A	MLC ME 32nm
V45D25C-08UIU	0T00322	8GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
V45D25C-16UIU	0T00670	16GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD25-25UC	0T00651	25GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD25-25UI	0T00652	25GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD253-25UC	0T00653	25GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD253-25UI	0T00654	25GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
V45D253C-32UIU	0T00726	32GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
V45D25C-32UIU	0T00672	32GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD253-50UC	0T00655	50GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD25-50UC	0T00657	50GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD25-50UCM	0T00703	50GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	MLC ME 32nm
M16SD25-50UI	0T00658	50GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
V45D25C-64UIU	0T00673	64GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	SLC HE 32nm
M16SD25-100UCM	0T00702	100GB	SATA 3Gb/s	SlimSATA (MO-297)	N/A	N/A	MLC ME 32nm
CinemaStar: Optimized for streaming video applications like surveillance systems and high-definition digital video recorders. Super quiet operation and low-power requirements deliver customer satisfaction and superb field reliability.							
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information
CinemaStar Z5K500							
HCC545025A7E380	0J23372	250GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height
HCC545025A7E680	0J30032	250GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height
HCC545032A7E380	0J23373	320GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height
HCC545032A7E680	0J30033	320GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height
HCC545050A7E380	0J23375	500GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height
HCC545050A7E680	0J30035	500GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height
HCC545050A7E630	0J42255	500GB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	7mm Z-height
CinemaStar Z7K500							
HCC725025A7E630	0J26072	250GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height
HCC725032A7E630	0J26073	320GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height
HCC725050A7E630	0J26075	500GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height
Endurastar: Designed specifically to perform in extreme temperature environments. Ideal for automotive entertainment, surveillance and navigation applications. Now offering a much wider temperature range and industry-leading altitude specifications.							
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information
Endurastar J4K320							
HEJ423280H9E300	0A60319	80GB	SATA 1.5Gb/s	2.5-inch	4200RPM	8MB	
HEJ423210H9E300	0A60318	100GB	SATA 1.5Gb/s	2.5-inch	4200RPM	8MB	
HEJ423220H9E300	0A60317	200GB	SATA 1.5Gb/s	2.5-inch	4200RPM	8MB	
HEJ423225H9E300	0A60316	250GB	SATA 1.5Gb/s	2.5-inch	4200RPM	8MB	
HEJ423232H9E300	0A60315	320GB	SATA 1.5Gb/s	2.5-inch	4200RPM	8MB	
Travelstar: All HGST mobile drives feature industry-leading power management for low power and longer battery life. The optional disk-level Bulk Data Encryption technology available on most models helps guard against data loss and piracy.							
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information
Travelstar Z7K500							
HTS725025A7E630	0J26002/0J38072 ¹	250GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height. BDE & TCG models also available.
HTS725032A7E630	0J26003/0J38073 ¹	320GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height. BDE & TCG models also available.
HTS725050A7E630	0J26005/0J38075 ¹	500GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height. BDE & TCG models also available.
Travelstar 5K1000							
HTS541064A9E681	0J15946	640GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	BE
HTS541064A9E685	0J26231	640GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	TCG Opal

Travelstar: All HGST mobile drives feature industry-leading power management for low power and longer battery life. The optional disk-level Bulk Data Encryption technology available on most models helps guard against data loss and piracy.								
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information	
Travelstar 5K1000								
HTS541064A9E680	0J22411	640GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB		
HTS541075A9E681	0J15947	750GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	BE	
HTS541075A9E685	0J26232	750GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	TCG Opal	
HTS541075A9E680	0J22412	750GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB		
HTS541010A9E681	0J15948	1TB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	BE	
HTS541010A9E685	0J26233	1TB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	TCG Opal	
HTS541010A9E680	0J22413	1TB	SATA 6Gb/s	2.5-inch	5400RPM	8MB		
Travelstar Z5K1000								
HTS541075A7E630	0J36212	750GB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	7mm Z-height	
HTS541075A7E631	0J38682	750GB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	7mm Z-height. BE	
HTS541075A7E635	0J42252	750GB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	7mm Z-height. TCG	
HTS541010A7E630	0J36211	1TB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	7mm Z-height	
HTS541010A7E631	0J38681	1TB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	7mm Z-height. BE	
HTS541010A7E635	0J42251	1TB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	7mm Z-height. TCG	
Travelstar Z5K500								
HTS545025A7E380	0J11282	250GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height. BDE & TCG models also available	
HTS545025A7E680	0J38062	250GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height. BDE & TCG models also available	
HTS545032A7E380	0J11283	320GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height. BDE & TCG models also available	
HTS545032A7E680	0J38063	320GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height. BDE & TCG models also available	
HTS545050A7E380	0J11285	500GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height. BDE & TCG models also available	
HTS545050A7E680	0J29575/0J38065¹	500GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height. BDE & TCG models also available	
Travelstar 7K1000								
HTS721075A9E631	0J22427	750GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	BDE	
HTS721075A9E630	0J22422	750GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB		
HTS721010A9E631	0J22428	1TB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	BDE	
HTS721010A9E630	0J22423	1TB	SATA 6Gb/s	2.5-inch	7200RPM	32MB		
Travelstar Enhanced Availability: These drives include design enhancements for data intensive applications requiring round-the-clock operation such as industrial systems, network routers/telephony, point-of-sale terminals, web hosting, and video surveillance.								
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other information	
Travelstar 5K1000								
HTE541064A9E680	0J26221	640GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB		
HTE541075A9E680	0J26222	750GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB		
HTE541010A9E680	0J26223	1TB	SATA 6Gb/s	2.5-inch	5400RPM	8MB		
Travelstar Z7K500								
HTE725032A7E630	0J26053/0J43103¹	320GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height	
HTE725050A7E630	0J26055/0J43105¹	500GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height	
Travelstar Z5K500								
HTE545032A7E380	0J23353	320GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height	
HTE545032A7E680	0J39683	320GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height	
HTE545050A7E380	0J23355	500GB	SATA 3Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height	
HTE545050A7E680	0J39685	500GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height	
Travelstar 7K1000								
HTE721010A9E630	0J30573	1TB	SATA 6Gb/s	2.5-inch	7200RPM	32MB		
HGST Internal Drive Kit (IDK): Quick and easy upgrade for your home computers								
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Buffer	Other Information	Warranty
IDK Travelstar								
H2IK5008525P	0S03791	500GB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	7mm Z-height	3 Years
H2IK50032725P	0S03788	500GB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	7mm Z-height	3 Years
H2IK10008545P	0S03508	1TB	SATA 6Gb/s	2.5-inch	5400RPM	8MB	9.5mm Z-height	3 Years
H2IK10003272SN	0S03563	1TB	SATA 6Gb/s	2.5-inch	7200RPM	32MB	9.5mm Z-height	3 Years
H2IK15008545P	0S03632	1.5TB	SATA 6Gb/s	2.5-inch	5400RPM	32MB	9.5mm Z-height	3 Years
IDK Ultrastar								
H3IK20003272SN	0S03593	2TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB		5 Years
H3IK30003272SN	0S03597	3TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB		5 Years
H3IK40003272SN	0S03601	4TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB		5 Years
IDK Deskstar								
H3IK400032545P	0S03359	4TB	SATA 6Gb/s	3.5-inch	5400RPM	32MB		3 Years
H3IK400032725P	0S03355	4TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB		3 Years
IDK Deskstar NAS								
H3IKNAS30003272SN	0S03660	3TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB		3 Years
H3IKNAS40003272SN	0S03664	4TB	SATA 6Gb/s	3.5-inch	7200RPM	64MB		3 Years
Touro: Storage for all your photos, movies, music and documents. / Touro Pro: Not just one, but two layers of data protection.								
Product name / Model number	Part number	Capacity	Interface	Form factor	RPM	Color	Warranty	
Touro Mobile								
HTOLMU3NA5001ABB	0S03796	500GB	USB 3.0	2.5-inch	5400RPM	Black	1 Year	
HTOLMU3NA10001ABB	0S03801	1TB	USB 3.0	2.5-inch	5400RPM	Black	1 Year	
Touro Desk								
HTOLDX3NB40001ABB	0S03396	4TB	USB 3.0	3.5-inch	5400RPM	Black	1 Year	
Touro Desk Pro								
HTOLDNB40001BBB	0S03503	4TB	USB 3.0	3.5-inch	7200RPM	Black	2 Years	
Touro S								
HTOSPC5001BGB	0S03757	500GB	USB 3.0	2.5-inch	7200RPM	Gold	2 Years	
HTOSPA10001BGB	0S03753	1TB	USB 3.0	2.5-inch	7200RPM	Gold	2 Years	
HTOSPC5001BHB	0S03698	500GB	USB 3.0	2.5-inch	7200RPM	Platinum	2 Years	
HTOSPA10001BHB	0S03694	1TB	USB 3.0	2.5-inch	7200RPM	Platinum	2 Years	
HTOSPC5001BCB	0S03782	500GB	USB 3.0	2.5-inch	7200RPM	Ruby	2 Years	
HTOSPA10001BCB	0S03778	1TB	USB 3.0	2.5-inch	7200RPM	Ruby	2 Years	
HTOSPC5001BDB	0S03733	500GB	USB 3.0	2.5-inch	7200RPM	Silver	2 Years	
HTOSPA10001BDB	0S03729	1TB	USB 3.0	2.5-inch	7200RPM	Silver	2 Years	
G-Technology: High performance Single Drive								
Product name / UPC	Part number	Capacity	Interface	Form factor	RPM	Color	Warranty	
G-DRIVE slim								
705487190809	0G02361	500GB	USB 3.0	2.5-inch	5400RPM	Silver	3 Years	
G-DRIVE mobile USB								
705487190762	0G02428	1TB	USB 3.0	2.5-inch	5400RPM	Silver	3 Years	
705487193138	0G02874	1TB	USB 3.0	2.5-inch	7200RPM	Silver	3 Years	

G-Technology: High performance Single Drive								
Product name / UPC	Part number	Capacity	Interface	Form factor	RPM	Color	Warranty	
G-DRIVE mobile								
705487190601	0G02383	500GB	USB 3.0/FW 400/800 (2X)	2.5-inch	5400RPM	Silver	3 Years	
705487190687	0G02391	1TB	USB 3.0/FW 400/800 (2X)	2.5-inch	5400RPM	Silver	3 Years	
G-Technology: High performance Single Drive								
Product name / UPC	Part number	Capacity	Interface	Form factor	RPM	Color	Warranty	
G-DRIVE mini								
705487191202	0G02568	500GB	USB 3.0/FW 400/800 (2X)	2.5-inch	7200RPM	Silver	3 Years	
705487191288	0G02576	1TB	USB 3.0/FW 400/800 (2X)	2.5-inch	7200RPM	Silver	3 Years	
G-DRIVE ev								
705487192087	0G02727	500GB	USB 3.0	2.5-inch	7200RPM	Silver	3 Years	
705487192049	0G02723	1TB	USB 3.0	2.5-inch	7200RPM	Silver	3 Years	
G-DRIVE ev SSD								
705487193701	0G03099	512GB	USB 3.0	2.5-inch		Silver	3 Years	
G-DRIVE mobile with Thunderbolt								
705487193183	0G03040	1TB	USB 3.0/Thunderbolt	2.5-inch	7200RPM	Silver	3 Years	
G-DRIVE PRO with Thunderbolt								
705487192926	0G02828	2TB	Thunderbolt (2X)	2.5-inch	7200RPM	Silver	3 Years	
705487192964	0G02832	4TB	Thunderbolt (2X)	2.5-inch	7200RPM	Silver	3 Years	
G-DRIVE with Thunderbolt								
705487193886	0G03124	3TB	USB 3.0/Thunderbolt	3.5-inch	7200RPM	Silver	3 Years	
705487193657	0G03050	4TB	USB 3.0/Thunderbolt	3.5-inch	7200RPM	Silver	3 Years	
G-DRIVE								
705487191066	0G02529	2TB	USB 3.0/FW 400/800 (2X)	3.5-inch	7200RPM	Silver	3 Years	
705487193206	0G02919	2TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	Silver	3 Years	
705487193244	0G02923	3TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	Silver	3 Years	
705487191141	0G02537	4TB	USB 3.0/FW 400/800 (2X)	3.5-inch	7200RPM	Silver	3 Years	
705487193282	0G02927	4TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	Silver	3 Years	
G-Technology: 2-bay high performance systems								
Product name / UPC	Part number	Capacity	Interface	Form factor	RPM	RAID	Color	Warranty
G-DRIVE ev 220								
705487193978	0G03187	2TB	USB 3.0	2.5-inch	5400RPM		Silver	3 Years
G-RAID mini								
705487182934	0G01652	1TB	USB 2.0/FW 400/800 (2X)/eSATA	2.5-inch	7200RPM	0,1	Silver	3 Years
705487191325	0G02608	1TB	USB 3.0/FW 400/800 (2X)	2.5-inch	7200RPM	0,1	Silver	3 Years
705487191400	0G02616	2TB	USB 3.0/FW 400/800 (2X)	2.5-inch	7200RPM	0,1	Silver	3 Years
G-RAID								
705487190946	0G02484	4TB	USB 3.0/FW 400/800 (2X)	3.5-inch	7200RPM	0	Silver	3 Years
705487191028	0G02492	8TB	USB 3.0/FW 400/800 (2X)	3.5-inch	7200RPM	0	Silver	3 Years
G-RAID with Thunderbolt								
705487190007	0G02289	4TB	Thunderbolt (2X)	3.5-inch	7200RPM	0	Silver	3 Years
705487189780	0G02272	8TB	Thunderbolt (2X)	3.5-inch	7200RPM	0	Silver	3 Years
G-RAID Studio								
705487195729	0G03501	6TB	Thunderbolt 2 (2X)	3.5-inch	7200RPM	0,1, JBOD	Black	3 Years
705487195149	0G03366	8TB	Thunderbolt 2 (2X)	3.5-inch	7200RPM	0,1, JBOD	Black	3 Years
705487195187	0G03398	12TB	Thunderbolt 2 (2X)	3.5-inch	7200RPM	0,1, JBOD	Black	3 Years
G-RAID Removable								
705487194500	0G03240	4TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	0,1, JBOD	Silver	3 Years
705487194548	0G03244	8TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	0,1, JBOD	Silver	3 Years
705487195002	0G03411	12TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	0,1, JBOD	Silver	3 Years
G-DOCK ev with Thunderbolt								
705487192001	0G02719	2TB*	Thunderbolt (2X)	2.5-inch	7200RPM	0,1, JBOD	Silver	3 Years
G-Technology: 4-bay high performance RAID systems								
Product name / UPC	Part number	Capacity	Interface	Form factor	RPM	RAID	Color	Warranty
G-SPEED Q								
705487192773	0G02836	8TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	0,5	Silver	3 Years
705487193008	0G02838	12TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	0,5	Silver	3 Years
705487193022	0G02840	16TB	USB 3.0/FW 400/800 (2X)/eSATA	3.5-inch	7200RPM	0,5	Silver	3 Years
G-SPEED eS								
705487186390	0G01871	8TB	eSATA	3.5-inch	7200RPM	0,1,5,10, JBOD	Silver	3 Years
705487188349	0G02055	12TB	eSATA	3.5-inch	7200RPM	0,1,5,10, JBOD	Silver	3 Years
705487190472	0G02321	16TB	eSATA	3.5-inch	7200RPM	0,1,5,10, JBOD	Silver	3 Years
G-SPEED eS PRO								
705487186376	0G01873	8TB	mini-SAS	3.5-inch	7200RPM	0,1,5,10, JBOD	Silver	3 Years
705487188363	0G02057	12TB	mini-SAS	3.5-inch	7200RPM	0,1,5,10, JBOD	Silver	3 Years
705487190496	0G02323	16TB	mini-SAS	3.5-inch	7200RPM	0,1,5,10, JBOD	Silver	3 Years
G-SPEED Studio RAID								
705487195309	0G03294	12TB	Thunderbolt 2 (2X)	3.5-inch	7200RPM	0,1,5,10	Black	3 Years
705487195347	0G03298	16TB	Thunderbolt 2 (2X)	3.5-inch	7200RPM	0,1,5,10	Black	3 Years
705487195385	0G03302	24TB	Thunderbolt 2 (2X)	3.5-inch	7200RPM	0,1,5,10	Black	3 Years

* Includes 2x1TB G-DRIVE ev hard drives

¹ Alternate part number, contact HGST for more info.

One GB is equal to one billion bytes and one TB equals 1,000 GB (one trillion bytes). Actual capacity will vary depending on operating environment and formatting.

Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and other countries.

Design by G-Technology in California. G-DRIVE, G-RAID, G-SPEED, G-CONNECT G-DOCK, G-Technology, TOURO Endurastar, Travelstar, Ultrastar, Deskstar, and Cinemastar are registered trademarks of HGST, Inc. and its affiliates in the U.S. and/or other countries. CoolSpin, EcoTrac, Partners Firstare trademarks of HGST or its affiliates in the U.S. and/or other countries. Western Digital and the Western Digital logo are trademarks of Western Digital Corporation in the U.S. and/or other countries. HGST shall not be liable to third parties for unauthorized use of this document or unauthorized use of its trademarks. R5 0714

©2014 HGST, Inc. hgst.com | touropro.com | g-technology.com